
CSE 5600
Computer Systems Architecture

Instruction Set Architecture

1

Instruction Set Architecture (ISA)



- What is an ISA?
  - A functional contract
- All ISAs similar at a high level
  - Design choices in the details
  - 2 "philosophies": CISC/RISC
    - Difference is blurring
- Good ISA…
  - Enables high performance
- Importance of Compatibility
  - Tricks: binary translation, μISAs

2

2

ISWhat?

Question: How have I lived such a productive geek life without getting my hands on an ISA?

Likely Answer: Because you are young/started late enough not to have suffered through pre-compiler days.

Snarky Answer: Maybe you weren't as productive as you think you were. ;)

3

3

ISA

How far are you willing to go for good performance?

Ideally: programmers need only write good programs

In reality: programmers want to see/consider the assembly to improve performance (compiler choices, etc.)

In *some* realities: designers consider ISA alterations to improve performance further

4

4

Big Picture (and Review)

5

5

Program Compilation

Code

```
int sum(int x, int y)
{
  int t = x+y;
  return t;
}
```

compiler →

Assembly

```
_sum:
   pushl %ebp
   movl %esp,%ebp
   movl 12(%ebp),%eax
   addl 8(%ebp),%eax
   movl %ebp,%esp
   popl %ebp
   ret
```

assembler →

Machine Code

```
0x401040
<sum>:
  0x55
  0x89
  0xe5
  0x8b
  0x45
   ...
```

Program written in high-level programming language (C, C++, Java, C#)

- Hierarchical, structured control: loops, functions, conditionals
- Hierarchical, structured data: scalars, arrays, pointers, structures

Assembly language

- Human-readable representation of actual machine instructions

Machine language

- Machine-readable representation of machine instructions
- 1s and 0s (often displayed in hex)

6

6

Reasoning About Performance

How long does it take for a program to execute?

Three factors

1. How many instructions must execute to complete program
2. How fast is a single cycle
3. How many cycles does each instruction take to execute

$$\text{Execution Time} = \frac{\text{instructions}}{\text{program}} \times \frac{\text{seconds}}{\text{cycle}} \times \frac{\text{cycles}}{\text{instruction}}$$

7

7

Maximizing Performance

$$\text{Execution Time} = \frac{\text{instructions}}{\text{program}} \times \frac{\text{seconds}}{\text{cycle}} \times \frac{\text{cycles}}{\text{instruction}}$$

Instructions per program:
- Determined by program, compiler, instruction set architecture (ISA)

Seconds per cycle: clock period
- Typical range today: 2ns to 0.25ns
- Reciprocal is frequency: 0.5 GHz to 4 GHz (1 Hz = 1 cycle per sec)
- Determined by micro-architecture, technology parameters

Cycles per Instruction: CPI
- Typical range today: 2 to 0.5
- Determined by program, compiler, ISA, micro-architecture

Minimum execution time → **minimize each term**
- Difficult: *often pull against one another*

8

8

What is an ISA?

9

9

What Is An ISA?

ISA (instruction set architecture)
- A well-defined hardware/software interface
- The **"contract"** between software and hardware
  - **Functional definition** of operations, modes, and storage locations supported by hardware
  - **Precise description** of how to invoke, access them
- Included in ISA:
  - Actual machine instructions (instruction set)
  - Storage interface (registers and memory)
  - Operating modes (user mode vs. supervisor mode)

10

10

What Is Not In The ISA?

- **Not** in the "contract": non-functional aspects
  - How operations are implemented
  - Which operations are fast, which are slow and when
  - Which operations take more/less power
  - How memory is implemented
  - Whether or not there is a cache

11

11

ISA as Contract (1)

Which one of the following **is** considered part of an ISA?

A. Whether a multiply can operate on data still in memory.
B. Whether branch prediction is used.
C. The number of cycles it takes to execute a multiply.
D. The number of physical registers the machine has.
E. Whether instructions can be executed out of order.



12

12

ISA as Contract (1)

Which one of the following **is** considered part of an ISA?

A. **Whether a multiply can operate on data still in memory.**
B. Whether branch prediction is used.
C. The number of cycles it takes to execute a multiply.
D. The number of physical registers the machine has.
E. Whether instructions can be executed out of order.

ISA Design Goals

What Makes a Good ISA?

1. **Programmability**
   - Easy to express programs efficiently?
2. **Implementability**
   - Easy to design high-performance implementations?
   - More recently: low-power, high-reliability, low-cost
3. **Compatibility**
   - Easy to maintain programmability as languages and programs evolve?
   - x86 (IA32) generations: 8086, 286, 386, 486, Pentium, PentiumII, PentiumIII, Pentium4, Core2…

1. Programmability

- Easy to express programs efficiently? For whom?
- Before 1985: **human**
  - Compilers were terrible, often code hand-assembled
  - Want high-level coarse-grain instructions
    - As similar to high-level language as possible
- After 1985: **compiler**
  - Optimizing compilers generate better code than we do
  - Want low-level fine-grain instructions
    - Compiler can't tell if two high-level idioms match exactly

Human Programmability

- What makes an ISA easy for a human to program in?
  - Proximity to a high-level language (HLL)
    - Closing the "**semantic gap**"
  - Semantically heavy (CISC-like) insns that capture complete idioms
    - "Access array element", "loop", "procedure call"
    - Example: SPARC `save/restore`
    - Bad example: x86 `rep movsb` (copy string)
    - Ridiculous example: VAX `insque` (insert-into-queue)
  - "**Semantic clash**": what if you have many high-level languages?
- Stranger than fiction
  - People once thought computers would execute language directly
  - Fortunately, never materialized (but keeps coming back around)
    - Now we just ask LLM to write the code for us

Today's Semantic Gap

- Today's ISAs are actually targeted to one language…
- …Just so happens that this language is very low level
  - **The C programming language**
- Will ISAs be different when Java/C# become dominant?
  - Object-oriented? Probably not
  - Support for garbage collection? Maybe
  - Support for bounds-checking? Maybe
  - Why?
    - Smart compilers transform HLL to simple instructions
    - Any benefit of tailored ISA is likely small

Compiler Optimizations (1)

Compilers do two things

- **Code generation**
  - Translate HLL to machine insns, 1 statement at a time
- **Optimization**
  - Preserve meaning but improve performance
  - Active research area, but some standard optimizations
    - Register allocation, common sub-expression elimination, loop-invariant code motion, loop unrolling, function inlining, code scheduling (to increase insn-level parallelism), *etc.*

Compiler Optimizations (2)

- Reduce dynamic insn count primarily
  - Redundant computation, store things in registers
    - + Registers are faster, fewer loads/stores
    - – ISA can make this difficult by having too few registers
- Also reduce:
  - Branches and jumps
  - Cache misses
  - Dependences between nearby insns (for parallelism)
    - – ISA can make this difficult by having implicit dependences
- How effective are these?
  - + Can give 4X performance over unoptimized code
  - – Collective wisdom of 40 years ("Proebsting's Law": *Compiler Advances Double Computing Power Every 18 Years*)
  - Funny but … don't laugh at 4X performance

ISA as Contract (2)

Which one of the following **is not** considered part of an ISA?

A. The number of architected registers a machine has.
B. Whether the compiler can inject prefetch instructions.
C. Whether the machine supports vector operations.
D. Whether a data is stored in the cache after it is fetched from memory.
E. The number of bits it takes to encode each instruction.



ISA as Contract (2)

Which one of the following **is not** considered part of an ISA?

A. The number of architected registers a machine has.
B. Whether the compiler can inject prefetch instructions.
C. Whether the machine supports vector operations.
D. Whether a data is stored in the cache after it is fetched from memory.
E. The number of bits it takes to encode each instruction.

2. Implementability

- **Every ISA can be implemented**
  - Not every ISA can be implemented efficiently
- **Classic high-performance implementation techniques**
  - Pipelining, parallel execution, out-of-order execution
- **Certain ISA features make these difficult**
  - – Variable instruction lengths/formats: complicate decoding
  - – Implicit state: complicates dynamic scheduling
  - – Variable latencies: complicates scheduling
  - – Difficult to interrupt instructions: complicate many things
    - Example: memory copy instruction

3. Compatibility

- In many domains, ISA must remain compatible
  - IBM's 360/370 (the *first* "ISA family")
  - Another example: Intel's x86 and Microsoft Windows
    - x86 one of the worst designed ISAs **EVER**, but survives
- **Backward compatibility**
  - New processors supporting old programs
    - Can't drop features (cumbersome)
    - Or, update software/OS to emulate dropped features (slow)
- **Forward (upward) compatibility**
  - Old processors supporting new programs
    - Include a "CPU ID" so the software can test for features
    - Add ISA hints by overloading no-ops (example: x86's PAUSE)
    - New firmware/software on old processors to emulate new insn

The Compatibility Trap

- Easy compatibility requires forethought
  - Temptation: some ISA extension gives 5% perf. gain
  - Often: gain diminishes, disappears, or turns to loss
    - **Must continue to support gadget for eternity**
  - Example: register windows (SPARC) makes OoO difficult
- Compatibility trap door
  - How to rid yourself of some ISA mistake in the past?
  - Make old insns an "illegal" insn on new machine
  - OS handles exception, emulates instruction, returns
    - Slow unless extremely uncommon

Aspects of ISAs